

Model MGP 3100

- Engine powered by HONDA
- Power up to 3,59 kW
- Easy to transport
- 17,4 h of autonomy




image example purpose only

MODEL CODE		MGP 3100 PE242SH100H	
EROGATION SYSTEM		Single-phase	
POWER COP	kW	2,45	
Power LTP	kW	2,88	
Voltage	Volt	230	
Frequency	Hz	50	
Factor power	Cos φ	0,9	
ENGINE			
Model		HONDA GX160	
Displacement	cc	163	
Cylinder		1 inclination angle	
Starting System		Recoil	
Power Max	kW	3,2	
Fuel		unleaded petrol	
TANK / AUTONOMY			
Tank Capacity	L	16,2	
Autonomy 75%	h	17,4	
NOISE LEVEL			
Noise Level LWA	dB(A)	95	
Acoustic pressure at 7 m	dB(A)	70,4	
DIMENSIONS			
Lenght	mm	620	
Width	mm	408	
Height	mm	510	
Weight	kg	41	

TECHNICAL FEATURES

THE PRODUCER RESEVES THE RIGHT TO INTRODUCE CHANGES TO MODELS AND FEATURES WITHOUT PRIOR NOTICES.

MANUAL PANEL			
	Protections	Oil-guard Thermal protection IP23 Electric IP 44 Socket	
	Controls	On Off Lever / Choke Lever / Fuel Gauge	
	Outputs	N.2 SCHUKO 230V 16A (UK version code PE242SH100I with 1 CEE 115V 16A and 1 CEE 230V 16A)	
	Options	Transportation kit	

